



## QUOTATION FOR DISTRIBUTORS

Models	Description	Pictures	MSRP
<b>Mega Pixel IP Camera</b>			
AV102IP-40	2M IR Bullet IPC, 1/3" CMOS, ICR, 0.01lux, 1920x1080 30fps, 4mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR 100ft.		\$140.00
AV502IP-36	2M IR Dome IPC, 1/3" CMOS, ICR, 0.01lux, 1920x1080 30fps, 3.6mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR 100ft. 3 axis.		\$150.00
AV502IP-28	2M IR Dome IPC, 1/3" CMOS, ICR, 0.01lux, 1920x1080 30fps, 2.8mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR 100ft. 3 axis.		\$150.00
AV504WDIP-28	<b>4M</b> IR Dome IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 2.8mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR range 100ft, 3 axis.		\$200.00
AV534WDIP-28	<b>4M</b> IR Dome IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 2.8mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, EXIR range 150ft.		\$220.00
AV534WDIP-40	<b>4M</b> IR Dome IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 4mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, EXIR range 150ft.		\$220.00
AV554WDIP-28WS	<b>4M WiFi</b> Dome, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 2.8mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR 45ft. WiFi		\$290.00
AV574WDIP-2812SZ	<b>4M VF</b> IR Dome, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, <b>2.8~12mm MOTORIZED lens</b> , IP66, DC12V & PoE, <b>WDR</b> , 3D DNR, BLC, IR 100ft. card slot (up to 64GB), Vandal resistance		\$450.00
AV104WDIP-40	<b>4M</b> IR Bullet IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 4mm, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, IR range 100ft.		\$180.00
AV134WDIP-40	<b>4M</b> IR Bullet IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 4 mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, EXIR range 160ft.		\$230.00
AV134WDIP-60	<b>4M</b> IR Bullet IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 6 mm lens, IP66, DC12V & PoE, DWDR, 3D DNR, BLC, EXIR range 160ft.		\$230.00
AV164WDIP-2812SZ	<b>4M VF</b> IR Bullet, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, <b>2.8~12mm MOTORIZED lens</b> , IP66, DC12V & PoE, <b>WDR</b> , 3D DNR, BLC, IR 100ft. card slot (up to 64GB)		\$450.00

AV642IP-C37	1/3" Progressive CMOS, ICR, 0.04lux/F2.3, Up to 1024 x 960 resolution, 3.7mm/F2.3 lens, H.264/MJPEG, 120dB WDR, DC12V & PoE, Support on-board storage, Bracket included, Audio/Alarm IO, 2m lens cable, Cylinder type.		\$440.00
AV642IP-L37	1/3" Progressive CMOS, ICR, 0.04lux/F2.3, Up to 1024 x 960 resolution, 3.7mm/F2.3 lens, H.264/MJPEG, 120dB WDR, DC12V & PoE, Support on-board storage, Bracket included, Audio/Alarm IO, 2m lens cable, L shape type.		\$440.00
AV566IP-127F	6M IR Compact <b>Fisheye</b> Dome IPC, 1/2.8" CMOS, ICR, 0.01lux, 3072 x 2048, 1.27mm @F2.8, angle of view: <b>360°</b> , <b>DC12V &amp; PoE</b> , 3D DNR, BLC, D-WDR, IR range 10m. <b>Audio/Alarm IO</b>		\$700.00
AP32IP-POE	2M IP <b>PTZ</b> , 1/2.8" CMOS <b>2x optical zoom (3.6-8.6mm)</b> , 16x digital, IR cut filter 0.05Lux, 30fps @1920x1080, DWDR, <b>PoE &amp; 12VDC WiFi</b>		\$480.00
AP520IP-POE	2M IP PTZ, 1/2.8" CMOS, <b>20x optical</b> , 16x digital, IR cut filter 0.05Lux, 30fps @1920x1080, IP66, DWDR, <b>High PoE &amp; 24VAC camera</b>		\$950.00
AP730IPIR-POE	2M IP PTZ, 1/2.8" CMOS, <b>30x optical</b> zoom, 16x digital, IR cut filter 0.05Lux, 300ft IR distance, 30fps @1920x1080, IP66, DWDR, <b>High PoE &amp; 24VAC camera</b>		\$1,100.00
AP623IP-POE	2M IP Smart tracking PTZ, Dark fighter super low lux performance, 1/2.8" CMOS 23x opt, 16x digital, IR cut filter 0.05Lux, 30fps @1920x1080, IP66, <b>120db True WDR, EIS, Defog, High PoE &amp; 24VAC camera</b>		\$1,400.00
AP823IPIR-DM	2M IP PTZ, Dark fighter super low lux performance, 1/2.8" CMOS <b>23x</b> opt, 16x digital, IR cut filter 0.05Lux, 30fps @1920x1080, IP66, <b>120db True WDR, EIS, Defog, 24VDC, Vehicle Mount design.</b>		\$2,900.00
AVP562W	720P HD <b>Wireless Pan/Tilt/Zoom cloud</b> camera. P2P, easy setup. True Day & night, 32feet IR distance. Two-way audio, built-in speaker and mic. Micro SD card slot supports up to 32GB, remote playback. Support iPhone, iPad, android phone and tablet. Supports IE, Chrome, Safari and Firefox.		\$110.00
<b>240</b>			
ANR7604-E1P4	NVR, 25Mbps Bit Rate Input Max (up to 4-ch IP video) <b>1 SATA interfaces, 4 PoE, 1U case</b>		\$120.00
ANR7608-E2P8	NVR, 50Mbps Bit Rate Input Max (up to 8-ch IP video), <b>2 SATA interfaces, 8 PoE, 1U case</b>		\$400.00
ANR8704-K1P4	4ch <b>H.265</b> NVR, 40Mbps Bit Rate Input Max (up to <b>8MP IPC</b> ), 1 SATA interfaces, 4 independent PoE network interfaces, standalone 1U case, Up to <b>4K UHD</b> HDMI output		\$270.00

ANR8708-K2P8	8ch H.265 NVR, 80Mbps Bit Rate Input Max (up to 8MP IPC), 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1, Up to 4K UHD HDMI output.		\$460.00
ANR8716-K2P16	16ch H.265 NVR, 160Mbps Bit Rate Input Max (up to 8MP IPC), 2 SATA interfaces, 16 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1, Up to 4K UHD HDMI output.		\$620.00
ANR8732-I4P16	32ch H.265 NVR, 320Mbps Bit Rate Input Max(up to 12MP IP), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case,19", Up to 4K UHD HDMI output.		\$1,000.00
ANR9064-I8	64ch NVR, 32Mbps Bit Rate Input Max(up to 64-ch IP video), 8 SATA interfaces, alarm I/O: 16/4, 2U case,19", 4K & H.265.		\$2,400.00

#### HD-TVI Camera Series

AV50HTW-28	HD-TVI 1080p,1/2.7" CMOS, 24 pcs LEDs, 20m IR, Outdoor IR Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8mm Lens, DC12V.		\$60.00
AV10HTW-36	HD-TVI 1080p,1/2.7" CMOS, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6mm Lens, DC12V.		\$60.00
AV52WTWX-36	HD-TVI 1080p,1/2.7" CMOS, 24pcs IR LEDs, 25m IR, Outdoor IR Dome, ICR, 0.1 Lux/F1.2, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 3.6mm Lens, DC12V.		\$60.00
AV50HTW-36W	HD1080p,2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Vandal Proof Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6mm Lens		\$95.00
AV50HTWX-28W	HD1080p,2MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66 2.8mm Lens, full metal case.		\$110.00
AV52WTW-2812	HD-TVI 1080p,1/2.7" CMOS, 36 pcs IR LEDs, 35m IR, Outdoor IR Vari-focal Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 2.8~12mm Lens, DC12V.		\$90.00
AV58WTW-2812	HD-TVI 1080p,1/2.7" CMOS, 30 pcs IR LEDs, 30m IR, Outdoor IR Vari-focal Dome, ICR, 0.1 Lux/F1.2, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, Vandal Proof, 2.8~12mm Lens, DC12V.		\$95.00
AV50HTG-2812	HD-TVI 1080p,1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens, DC12V. Grey Color		\$110.00
AV50HTW-2812	HD-TVI 1080p,1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens, DC12V. White Color		\$110.00
AV56HTWA-2812	HD-TVI 1080p,1/2.7" CMOS, 24 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), Vandal Proof, 2.8~12mm Lens, DC12V/AC24V.		\$160.00

AV56HTWA-2812WZ	HD-TVI <b>1080p</b> , 1/2.7" CMOS, 24 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), Vandal Proof, <b>2.8~12mm Motorized Lens, True WDR, DC12V/AC24V.</b>		\$200.00
AV16HTWA-2812	HD-TVI <b>1080p</b> , 1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, <b>2.8~12mm Lens, DC12V/AC24V.</b>		\$160.00
AV16HTWA-2812WZ	HD1080p, 2MP CMOS, EXIR, 40m IR, Outdoor <b>EXIR Motorized</b> Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, DNR, OSD Menu(Up the Coax), <b>True WDR</b> , IP66, 2.8~12mm Motorized Vari-focal Lens.		\$200.00
AP530HT	HD-TVI <b>1080P PTZ</b> , 1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom: <b>30x</b> , Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1°-250°s, Tilt Speed: 0.1°-150°s, Up the Coax. AC24		\$980.00
AP730HTIR	HD-TVI <b>1080P IR PTZ</b> , 1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom: <b>30x</b> , Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1°-160°s, Tilt Speed: 0.1°-120°s, 120m IR distance, Up the Coax, AC24.		\$1,100.00

#### Tri-brid DVR Series; Compatible with HD-TVI, Analog and IPC

ADR8504TVI	4 Channels Tribrid HD DVR Compatible with <b>HD-TVI, IP(1ch) and analog camera</b> . Simultaneous HDMI and VGA outputs at up to 1920 x 1080 resolution. 1 sata HDD, 1080P 12/15 FPS recording. 4ch Playback, No HDD included		\$120.00
ADR8532TVI	32 Channels Tribrid HD DVR Compatible with <b>HD-TVI, IP(8chs) and analog camera</b> . Simultaneous HDMI and VGA outputs at up to 1920 x 1080 resolution. 4 sata HDD, 1080P 12/15 FPS recording. 32ch Playback, No HDD included		\$1,200.00

#### Quad-brid DVR Series, Compatible with HD-TVI, AHD, Analog and IPC

ADR8504QHD	4ch <b>HD-TVI/AHD/Analog</b> interface input, 4-ch video&1-ch audio input, 1 SATA interface, 1920×1080P: 10 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case		\$130.00
ADR8508QHD	8ch <b>HD-TVI/AHD/Analog</b> interface input, 8-ch video&1-ch audio input, 1 SATA interface, 1920×1080P: 10 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case		\$220.00
ADR8516QHD	16ch <b>HD-TVI/AHD/Analog</b> interface input, 16-ch video&1-ch audio input, 2 SATA interfaces, 1920×1080P: 12 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, 380 1U case		\$400.00

#### 3M TVI Camera and DVR

AV503HTT-28	3MP HD-TVI Mini Turret Camera, 3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8mm Lens		\$100.00
-------------	---	---	----------

AV503HTT-36	3MP HD-TVI turret camera, 3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Eyeball, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6mm Lens		\$110.00
AV503HTD-36W	3MP HD-TVI Vandal proof Dome Camera, 3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Vandal Proof Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), <b>True WDR</b> , IP66, 3.6mm Lens		\$130.00
AV103HTB-36	3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 20m IR, Outdoor EXIR Bullet, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6mm Lens		\$100.00
AV503HTT-2812WZ	3MP HD-TVI Vandal proof dome camera, 3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Dome, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, DNR, OSD Menu(Up the Coax), <b>True WDR</b> , IP66, Vandal Proof, 2.8~12mm <b>Motorized</b> Vari-focal Lens		\$200.00
AV563HTDA-2812WZ	3MP HD-TVI Vandal proof dome camera, 3MP CMOS Sensor, 18fps at 1920*1536 resolution, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Dome, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, DNR, OSD Menu(Up the Coax), <b>True WDR</b> , IP66, Vandal Proof, 2.8~12mm <b>Motorized</b> Vari-focal Lens		\$220.00
AV163HTBA-2812WZ	3MP HD-TVI IR Bullet Camera, 3MP CMOS Sensor, EXIR, 40m IR, Outdoor EXIR Motorized Vari-focal Bullet, ICR, 0.01 Lux/F1.2, 12 VDC/ 24VAC, Smart IR, DNR, OSD Menu(Up the Coax), <b>True WDR</b> , IP66, 2.8~12mm <b>Motorized</b> Vari-focal Lens		\$220.00
ADR8604UHD	4 Turbo HD/AHD/Analog interface input, 4-ch video&4-ch audio input + 2 IPC up to 4MP. 1 SATA interfaces, <b>5MP: 12fps, 3MP: 15fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output</b> , alarm I/O: 8/4, support CVBS output, 380 1U case		\$220.00
ADR8608UHD	8 Turbo HD/AHD/Analog interface input, 8-ch video&4-ch audio input + 2IPC up to 4MP 2 SATA interfaces, <b>5MP: 12fps, 3MP: 15fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output</b> , alarm I/O: 8/4, support CVBS output, 380 1U case		\$400.00
ADR8616UHD	16 Turbo HD/AHD/Analog interface input, 16-ch video&4-ch audio input + 2 IPC up to 4MP. 2 SATA interfaces, <b>5MP: 12fps, 3MP: 15fps, 1920x1080P: 25(P)/30(N) fps/ch, 4K UHD output</b> , alarm I/O: 16/4, support CVBS output, 380 1U		\$640.00

#### Analog PTZ Camera

G25IR-W12SAN	High speed Day & Night <b>IR PTZ</b> camera, OSD, Pattern, Tour, Scan, Preset, Samsung <b>12x optical</b> zoom module, f=3.6-44.3mm, F1.6 (wide) / F2.0 (Tele), 560TVL, 0.001lux, 12 masking zones. 200 feet IR distance. AC24V. IP66.		\$660.00
G40-WB27N	Outdoor DAY & NIGHT PTZ, 550TVL, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-100°/sec. pan speed, 128 presets, <b>27x optical</b> zoom, Samsung zoom camera module, 24V		\$660.00
G65-WB37N	Outdoor DAY & NIGHT PTZ, 550TVL, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, <b>37x optical</b> zoom, Samsung zoom camera module, 24V		\$820.00

G75M-WB36N	Outdoor DAY & NIGHT PTZ, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, <b>36x optical</b> zoom, Sony original FCB camera FCB-EX1010 (Wide Dynamic Range), <b>Aluminium Alloy construction, Auto tracking</b>		\$1,100.00
G35M-WB18N	Heavy duty <b>Vehicle PTZ</b> , DC12V, Rating impact load 3.4g accelerate, Sony module FCB-EX480C, 470TVL, 1/4" EXview HAD CCD, ICR, 18X optical & 12 digital, 0.01lux / F1.4 1/4S ICR on		\$1,300.00
<b>Monitors</b>			
AVG19WBV-2D	19.5" LED Monitor, 1920x1080 HD Resolution, 2D Comb Filter, VGA+ HDMI+1xBNC in+1xBNC out+1xAudio, Multi-Language OSD and Built-In Speakers.		\$240.00
AVG19WBV-3D	19.5" LED Monitor, 1920x1080 HD Resolution, 3D Comb Filter, VGA+ 2xHDMI+2xBNC in+2xBNC out+ 3xAudio 1x USB + 1xSD card reader, Multi-Language OSD and Built-In Speakers.		\$260.00
AVG22WBV-2D	21.5" LED Monitor, 1920x1080 HD Resolution, 2D Comb Filter, VGA+ HDMI+1xBNC in+1xBNC out+1xAudio, Multi-Language OSD and Built-In Speakers.		\$280.00
AVK10S22W	21.5" LED Monitor, 1920x1080 HD Resolution, 3D Comb Filter, VGA+ 2xHDMI+2xBNC in+2xBNC out+3xAudio 1xUSB+1xSD card reader, Multi-Language OSD and Built-In Speakers.		\$300.00
AVL104MDE	10.4" TFT LCD Video Monitor, Hi-Resolution, w/1024X768, 300 nit, 500: 1, 2A/V I/O, 1 CH S-Video IN, PC-VGA. SVGA, BNC, Metal Housing, 75/100 VESA, Black Metal Case.		\$320.00
AVG24WBV-3D	23.6" LED Monitor Metal case 3D comb filter, VGA+ 2xHDMI+2xBNC in+2xBNC out+3xAudio 1xUSB+1xSD card reader, 1920x1080 Resolution.		\$500.00
AT41X	7" LCD HD-TVI 2.0 and CVBS Test Monitor. VGA and HDMI Inputs. 3-Battery(2600mA) with 6A protective board. ABS+PC enclosure.		\$400.00
<b>HDMI/SDI Converters, Extenders, Extractors</b>			
SDH-RO1	SDI TO HDMI Converter, support 3G-SDI/HD-SDI/SDI.		\$130.00
SDH-T01	HDMI to SDI Converter, support 3G-SDI/HD-SDI/SDI.		\$130.00
SDE-12RN	3G-SDI/HD-SDI/SDI 1 to 2 Repeater and Distribution Extender with re-clocking function.		\$130.00

SDE-14R	3G-SDI/HD-SDI/SDI 1 to 4 Repeater and Distribution Extender with re-clocking function and Audio.		\$160.00
HDMI-A011	HDMI to HDMI + Audio (SPDIF + L/R ) Extractor.		\$45.00
HDE-124K	HDMI 1x2 Splitter. Support 4K. HDCP Compliant.		\$45.00
HDMI-EC200	HDMI Extender over Cat5e or 6, up to 200 feet by Cat 6. A pair. Support 3D		\$90.00
HDMI-EC200W	HDMI Wall plate Extender over Cat5e or 6, up to 200 feet by Cat 6. A pair. Support 3D and IR.		\$130.00
HDMI-EC300	HDMI Extender over Cat5e or 6, up to 300 feet by Cat5e or 400 feet by Cat 6. A pair.		\$160.00
HDMI-M424K	HiFi HDMI v1.4 True Matrix Splitter/Switch 4x2 (4 in 2 out) Support 3D 4K MHL ARC, One HDMI out support SPDIF and 3.5mm audio out.		\$100.00
<b>Video Balun</b>			
AVB300P	Passive Ultra Mini Video Balun with extra interference rejection BNC male to 2 push pin terminal For HD-CVI/TVI/AHD camera.		\$9.00
AVB301P	Passive Ultra Mini Video Balun with 8" pigtail BNC Male cable, 2 push pin terminal , For HD-CVI/TVI/AHD camera.		\$11.00
AVB302P	Passive Video Balun with 8" Pigtail BNC Male Cable and Power - 2pcs Pack, RJ45 Type, transmission up to 250m/750ft; supports power supply on 12V DC or 24V AC. For HD-CVI/TVI/AHD camera.		\$20.00
<b>Accessory</b>			
KB3S	<b>3-axis, multi-protocol &amp; programmable keyboard</b> for Speed Dome Camera, RS485 and RS422 Interface, Backlight Display, up to 1200m, Power: DC12V , Ergo-Design & Alu-Finishing. for G65/ G70/G50/G25 series dome.		\$160.00
AIR90	IR illuminator 90 feet distance, 45°emission angle. DC12V / 300mA.		\$50.00
AIR150	IR illuminator 150 feet distance, 20°emission angle. DC12V / 400mA.		\$50.00
AIR250	IR illuminator 250 feet distance, 15°emission angle. DC12V / 500mA.		\$50.00

AM58J	Junction box fits AV52RTW-2812Z		\$20.00
AM552J	Camera Junction box white		\$20.00
AM259C	Angled ceiling mount, Fits AV502IP-36 and AV504WDIP-28, plastic.		\$15.00
AM260J	Condit base for bullet camera, Fits AV134WDIP-60, AV164WDIP-2812SZ, AV16HTWA-2812, AV16HTWA-2812W.		\$25.00
AM280J-XS	Junction Box, white Aluminum Alloy, $\Phi 100 \times 43.2 \times 129\text{mm}$ , 320g. Fits AV50HTW-28, AV10HTW-36, AV102IP-40, AV104WDIP-40.		\$20.00
AM280J-S	Junction Box, white, Aluminum alloy, 137x53.4x164.8mm, 527g. Fits AV50HTWX-36.		\$25.00
AM280J-M	Deep Base Junction box, Metal, Fits AV534WDIP-40		\$25.00
AM280J-DM18	Junction box, Metal, Fits AV502IP-36 and AV504WDIP-28		\$20.00
AM280J-DM21	Junction box, Metal, Fits AV574WDIP-2812SZ		\$20.00
AM280J-DM25M1	Junction box for 6MP fisheye IPC AV566IP-127F. Hik white Aluminum alloy 7.5x167.5x42mm 362g.		\$25.00
AM272W-110	Wall mount, Metal, Fits AV502IP-36 and AV504WDIP-28		\$30.00
AM273W-130TRL	Wall mount, Metal, Fits AV534WDIP-40		\$30.00
AM273W-135	Wall mount, Metal, Fits AV574WDIP-2812SZ		\$30.00
AM273W-140	Wall mount, Metal, Fits AV56HTWA-2812, and AV56HTWA-2812WZ.		\$30.00
AM602W	PTZ Wall mount, Metal, Fits AP530HT, AP730HTIR, AP520IP-POE, AP730IPIR-POE.		\$30.00
AM661C	PTZ Pendant mount, Metal, Fits AP530HT, AP730HTIR, AP520IP-POE, AP730IPIR-POE.		\$30.00

AM280J-PT3	Mini PTZ junction box, Metal, Fits AP32IP-POE		\$30.00
AM294W	Mini PTZ wall mount, Metal, Fits AP32IP-POE		\$30.00
PD05A04D	Power Box for 4 channel cameraS. AC110-230V Input, DC12V output, 5A.		\$50.00
PD10A09D	Power Box for 9 channel camera. AC110-230V Input, DC12V output, 10A.		\$80.00
PD20A18D	Power Box for 18 channel camera. AC110-230V Input, DC12V output, 20A.		\$120.00
PA10A09A	9 channel power box, 10A AC24V.		\$120.00
PA10A18A	18 channel power box, 10A AC24V		\$140.00
CAT5e	Cat5e Network Cable; 1000 Feet		\$150.00
CAT6	Cat6 Network Cable; 1000 Feet		\$180.00
Siamese-500	CCTV Siamese RG59 bulk cable, 500feet. White or Black.		\$100.00

#### **WARRANTY AND RETURN POLICY**

**SEQUTEC INC D.B.A. AVUE** 1180 Miraloma Way Ste C TEL: 408 481 9355 FAX: 408 481 9366

**Warranty:**

Network Camera, Analog/HD Camera, PTZ Camera	2 Years
Digital Video Recorder, Network Video Recorder	3 Years
Video Balun, Controller	3 Years
Monitor, Consumer Kit, Cloud Camera, Power Box	1 Years
Other products and Accessories	1 Years

AVUE will repair or replace, without charge, any merchandise proved defective in material or workmanship for a period of certain years (as described above) after the date of shipment. This warranty will not extend to any products which have been subjected to misuse, neglect, accident, or improper installation, used in violation of instructions, or to units which have been repaired or altered outside of AVUE's facility. This limited warranty does not apply to broken cases, batteries, or other physically damaged parts. Goods for repair or replacement should be clearly identified with the assigned RMA number and freight should be prepaid.

AVUE assumes no risk and shall be subject to no liability for damages or loss resulting from the specific use or application made of the Products. AVUE's liability for any claim, whether based on breach of contract, negligence, infringement of any rights of any party or product liability, relating to the Products shall not exceed the price paid by the Dealer to AVUE for such Products. In no event will AVUE be liable for any special, incidental, or consequential damages (including loss of use, loss of profit, and claims of third parties) however caused, whether by the negligence of AVUE or otherwise.

**Return Policy:**

- 1, AVUE only accept return within 30 days of delivery. Goods returned or credit should be clearly identified with the assigned RMA number and freight should be prepaid.
- 2, All merchandise with unopened condition returned for credit may be subject to a 15 percent restocking and refurbishing charge.
- 3, Any item that is not in its original condition, is damaged, or is missing parts for reasons not due to our error may be subject to 50 percent restocking and refurbishing charge.