



















Manufacturer Suggested Retail Price













Model	Description	Image	MSRP
Megapixel IP Cameras			
AV502IP-36	2M IR Dome IPC, 1/3" CMOS, ICR, 0.01lux, 1920x1080 30fps, 3.6mm lens, IP66, DC12V & PoE , DWDR, 3D DNR, BLC, IR 100ft. 3 axis.		\$150.00
AV102IP-40	2M IR Bullet IPC, 1/3" CMOS, ICR, 0.01lux, 1920x1080 30fps, 4mm lens, IP66, DC12V & PoE , DWDR, 3D DNR, BLC, IR 100ft.		\$150.00
AV504WDIP-28	4M IR Dome IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 2.8mm lens, IP66, DC12V & PoE , DWDR, 3D DNR, BLC, IR range 100ft, 3 axis.		\$200.00
AV534WDIP-28	4M IR Dome IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 2.8mm lens, IP66, DC12V & PoE , DWDR, 3D DNR, BLC, EXIR range 150ft.		\$230.00
AV534WDIP-40	4M IR Dome IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 4mm lens, IP66, DC12V & PoE , DWDR, 3D DNR, BLC, EXIR range 150ft.		\$230.00
AV554WDIP-28WS	4M WiFi Dome, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 2.8mm lens, IP66, DC12V & PoE , DWDR, 3D DNR, BLC, IR 45ft. Wifi		\$300.00
AV574WDIP-2812SZ	4M VF IR Dome, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 2.8~12mm MOTORIZED lens , IP66, DC12V & PoE , WDR , 3D DNR, BLC, IR 100ft. card slot (up to 64GB), Vandal resistance		\$480.00
AV104WDIP-40	4M IR Bullet IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 4mm, IP66, DC12V & PoE , DWDR, 3D DNR, BLC, IR range 100ft.		\$200.00
AV134WDIP-60	4M IR Bullet IPC, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 6mm lens, IP66, DC12V & PoE , DWDR, 3D DNR, BLC, EXIR range 160ft.		\$250.00
AV164WDIP-2812SZ	4M VF IR Bullet, 1/2.8" CMOS, ICR, 0.01lux, 2688x1520, 20fps, 2.8~12mm MOTORIZED lens , IP66, DC12V & PoE , WDR , 3D DNR, BLC, IR 100ft. card slot (up to 64GB)		\$480.00
AV642IP-C37	1/3" Progressive CMOS, ICR, 0.04lux/F2.3, Up to 1024 x 960 resolution, 3.7mm/F2.3 lens, H.264/MJPEG, 120dB WDR, DC12V & PoE, Support on-board storage, Bracket included, Audio/Alarm IO, 2m lens cable, Cylinder type.		\$440.00
AV642IP-L37	1/3" Progressive CMOS, ICR, 0.04lux/F2.3, Up to 1024 x 960 resolution, 3.7mm/F2.3 lens, H.264/MJPEG, 120dB WDR, DC12V & PoE, Support on-board storage, Bracket included, Audio/Alarm IO, 2m lens cable, L shape type.		\$440.00









AV566IP-127F	6M IR Compact Fisheye Dome IPC, 1/2.8" CMOS, ICR, 0.01lux, 3072 x 2048, 1.27mm @F2.8, angle of view: 360° , DC12V & PoE , 3D DNR, BLC, D-WDR, IR range 10m. Audio/Alarm IO		\$760.00
AP32IP-POE	2M IP PTZ , 1/2.8" CMOS 2x optical zoom (3.6-8.6mm) , 16x digital, IR cut filter 0.05Lux, 30fps @1920x1080, DWDR, PoE & 12VDC. WiFi		\$480.00
AP520IP-POE	2M IP PTZ, 1/2.8" CMOS, 20x optical , 16x digital, IR cut filter 0.05Lux, 30fps @1920x1080, IP66, DWDR, High PoE & 24VAC camera		\$580.00
AP730IPIR-POE	2M IP PTZ, 1/2.8" CMOS, 30x optical zoom, 16x digital, IR cut filter 0.05Lux, 300ft IR distance, 30fps @1920x1080, IP66, DWDR, High PoE & 24VAC camera		\$1,160.00
AP623IP-POE	2M IP Smart tracking PTZ, Dark fighter super low lux performance, 1/2.8" CMOS 23x opt, 16x digital, IR cut filter 0.05Lux, 30fps @1920x1080, IP66, 120db True WDR, EIS, Defog, High PoE & 24VAC camera		\$1,500.00
AP823IPIR-DM	2M IP PTZ, Dark fighter super low lux performance, 1/2.8" CMOS 23x opt, 16x digital, IR cut filter 0.05Lux, 30fps @1920x1080, IP66, 120db True WDR, EIS, Defog, 24VDC, Vehicle Mount design.		\$2,800.00
AVP562W	720P HD Wireless Pan/Tilt/Zoom cloud camera. P2P, easy setup. True Day & night, 32feet IR distance. Two-way audio, built-in speaker and mic. Micro SD card slot supports up to 32GB, remote playback. Support iPhone, iPad, android phone and tablet. Supports IE, Chrome, Safari and Firefox.		\$110.00
Smart NVR Series			
ANR7604-E1P4	NVR, 25Mbps Bit Rate Input Max (up to 4-ch IP video) 1 SATA interfaces, 4 PoE , 1U case		\$250.00
ANR7608-E2P8	NVR, 50Mbps Bit Rate Input Max (up to 8-ch IP video), 2 SATA interfaces, 8 PoE , 1U case		\$420.00
ANR7716-E4P16	NVR, 100Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case		\$750.00
ANR7732-E4P16	NVR, 200Mbps Bit Rate Input Max(up to 32-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case, 19"		\$920.00
ANR8708-K2P8	8ch NVR, 80Mbps Bit Rate Input Max (up to 8-ch IP video), 2 SATA interfaces, 8 independent PoE network interfaces, 380 1U case, alarm I/O: 4/1, Up to 4K UHD HDMI output, H.265.		\$500.00















ANR8716-K2P16	16ch NVR, 160Mbps Bit Rate Input Max(up to 16-ch IP video), 2 SATA Interfaces, 16 independent PoE network interfaces, 1U case, alarm I/O: 4/1, Up to 4K UHD HDMI output, H.265.		\$700.00
ANR8732-I4P16	32ch NVR, 320Mbps Bit Rate Input Max(up to 16-ch IP video), 4 SATA Interfaces, 16 independent PoE network interfaces, alarm I/O: 16/4, 1.5U case 19", Up to 4K UHD HDMI output, H.265.		\$1,100.00
HD-TVI Camera Series			
AV52WTWX-36	HD-TVI 1080p, 1/2.7" CMOS, 24pcs IR LEDs, 25m IR, Outdoor IR Dome, ICR, 0.1 Lux/F1.2, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 3.6mm Lens, DC12V.		\$70.00
AV50HTW-28	HD-TVI 1080p, 1/2.7" CMOS, 24 pcs LEDs, 20m IR, Outdoor IR Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8mm Lens, DC12V.		\$80.00
AV10HTW-36	HD-TVI 1080p, 1/2.7" CMOS, 24 pcs LEDs, 20m IR, Outdoor IR Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6mm Lens, DC12V.		\$80.00
AV50HTW-36W	HD1080p, 2MP CMOS Sensor, EXIR, 20m IR, Outdoor EXIR Vandal Proof Dome, ICR, 0.01 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), True WDR, IP66, 3.6mm Lens		\$100.00
AV50HTWX-36	HD-TVI 1080p, 1/2.7" CMOS, Matrix IR LEDs, 40m IR, Outdoor IR Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 3.6mm Lens, DC12V.		\$100.00
AV52WTW-2812	HD-TVI 1080p, 1/2.7" CMOS, 36 pcs IR LEDs, 35m IR, Outdoor IR Vari-focal Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 2.8~12mm Lens, DC12V.		\$100.00
AV58WTW-2812	HD-TVI 1080p, 1/2.7" CMOS, 30 pcs IR LEDs, 30m IR, Outdoor IR Vari-focal Dome, ICR, 0.1 Lux/F1.2, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, Vandal Proof, 2.8~12mm Lens, DC12V.		\$110.00
AV52RTW-2812Z	HD-TVI 1080p, 1/2.7" CMOS, Matrix IR LEDs, 30m IR, Outdoor IR Turret, ICR, 0.1 Lux/F1.2, Smart IR, DNR, WDR OSD Menu(Up the Coax), IP66, 2.8-12mm Motorized Lens, Auto Focus, DC12V.		\$140.00
AV50HTG-2812	HD-TVI 1080p, 1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens, DC12V. Grey Model Color		\$140.00
AV50HTW-2812	HD-TVI 1080p, 1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Turret, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens, DC12V. White Color		\$140.00
AV56HTWA-2812	HD-TVI 1080p, 1/2.7" CMOS, 24 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), Vandal Proof, 2.8~12mm Lens, DC12V/AC24V.		\$180.00
AV56HTWA-2812WZ	HD-TVI 1080p, 1/2.7" CMOS, 24 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Dome, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), Vandal Proof, 2.8~12mm Motorized Lens, True WDR, DC12V/AC24V.		\$220.00

AV16HTWA-2812	HD-TVI 1080p , 1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, DNR, OSD Menu(Up the Coax), DWDR, IP66, 2.8~12mm Lens, DC12V/AC24V .		\$180.00
AV16HTWA-2812W	HD-TVI 1080p , 1/2.7" CMOS, 42 pcs IR LEDs, 40m IR, Outdoor IR Vari-focal Bullet, ICR, 0.1 Lux/F1.2, 12 VDC, Smart IR, WDR , DNR, OSD Menu(Up the Coax), IP66, 2.8~12mm Lens, DC12V/AC24V .		\$220.00
AP530HT	HD-TVI 1080P PTZ , 1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom: 30x , Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1°-250°s, Tilt Speed: 0.1°-150°s, Up the Coax. AC24		\$980.00
AP730HTIR	HD-TVI 1080P IR PTZ , 1/2.8" CMOS, 1920x1080:30fps, 3D DNR, ICR, Color: 0.2lux/F1.6, B/W:0.02lux/F1.6, Optical Zoom: 30x , Focus:4-120mm, Digital Zoom:16X, Pan Speed: 0.1°-160°s, Tilt Speed: 0.1°-120°s, 120m IR distance, Up the Coax, AC24.		\$1,180.00
Tribrid DVR Series, Compatible with HD-TVI, Analog and IPC			
ADR8504TVI	4 Channels Tribrid HD DVR Compatible with HD-TVI, IP(1ch) and analog camera . Simultaneous HDMI and VGA outputs at up to 1920 x 1080 resolution. 1 sata HDD, 1080P 12/15 FPS recording.4ch Playback, No HDD included		\$120.00
ADR8508TVI	8 Channels Tribrid HD DVR Compatible with HD-TVI, IP(1ch) and analog camera . Simultaneous HDMI and VGA outputs at up to 1920 x 1080 resolution. 1 sata HDD, 1080P 12/15 FPS recording. 8ch Playback, No HDD included		\$200.00
ADR8516TVI	16 Channels Tribrid HD DVR Compatible with HD-TVI, IP(2chs) and analog camera . Simultaneous HDMI and VGA outputs at up to 1920 x 1080 resolution. 2 sata HDD, 1080P 12/15 FPS recording. 16ch Playback, No HDD included		\$380.00
ADR8532TVI	32 Channels Tribrid HD DVR Compatible with HD-TVI, IP(8chs) and analog camera . Simultaneous HDMI and VGA outputs at up to 1920 x 1080 resolution. 4 sata HDD, 1080P 12/15 FPS recording. 32ch Playback, No HDD included		\$1,200.00
ADR8504QHD	4ch HD-TVI/AHD/Analog interface input, 4-ch video&1-ch audio input, 1 SATA interface,1920×1080P: 10 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case		\$130.00
ADR8508QHD	8ch HD-TVI/AHD/Analog interface input, 8-ch video&1-ch audio input, 1 SATA interface,1920×1080P: 10 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, support CVBS output, standalone 1U case		\$220.00
ADR8516QHD	16ch HD-TVI/AHD/Analog interface input, 16-ch video&1-ch audio input, 2 SATA interfaces,1920×1080P: 12 fps/ch, 1280×720P: 25(P)/30(N) fps/ch, 4K UHD output, support CVBS output, 380 1U case		\$400.00
Analog CCTV Cameras			
AV665SCW28	1/3" High sensitivity CMOS Image sensor, IR Turret camera, 700 TVL 0LUX, 2.8mm lens wide angle, 75 feet IR distance. IP66, White metal case.		\$48.00






AV765EIR	1/3" Sony 960H CCD IR Turret camera, 700 TVL 0LUX, 3.6MM lens, 75 feet IR distance, IP66. Camera only.		\$50.00
AV765EIR	1/3" Sony 960H CCD IR Turret camera Kit, 700 TVL 0LUX, 3.6MM lens, 75 feet IR distance, IP66. Kit includes Camera, 60ft cable and power supply.		\$60.00
AV765EIRA	1/3" Sony 960H CCD IR Turret camera Kit, Audio built-in mic , 700 TVL 0LUX, 3.6MM lens, 75 feet IR distance, IP66. Kit includes Camera, 60ft cable and power supply.		\$70.00
AV676PIR	1/3" Sony IMX238 Sensor IR Turret camera, True day & night, 1000 TVL 0LUX, 2.8-12 MM ICR lens, 100 feet IR distance, external focus and zoom adjustment. OSD, DNR, IP66, metal case.		\$80.00
AV676PIRW	1/3" Sony IMX238 Sensor IR Turret camera, True day & night, 1000 TVL 0LUX, 2.8-12 MM ICR lens, 100 feet IR distance, external focus and zoom adjustment. OSD, DNR, IP66, White metal case.		\$80.00
AV830ED	1/3" Sony Exview HADII CCD (960H), Super low lux performance, Vandal proof dome camera, 700TVL, 0.006lux, 2.8-12mm Auto Iris varifocal lens. True day&night with ICR, OSD, Privacy zones, BLC, HLC, Noise reduction, 3-axis internal bracket, IP66, Dual voltage. Lightning proof		\$120.00
AV830PDIR	1/3" Sony IMX238 1.3MP Sensor, Vandal proof IR dome camera, 1000TVL , 0lux with IR ON and 100 feet IR distance, 2.8-12mm varifocal lens. True day&night with ICR, OSD, Privacy zones, BLC, HLC, Noise reduction, 3-axis internal bracket, IP66, Dual voltage. Lightning proof		\$120.00
AV719EIR	1/3" Sony 960H CCD IR Bullet camera, 700 TVL 0LUX, 3.6MM lens, 75 feet IR distance, IP66, Camera only.		\$50.00
AV719EIR	1/3" Sony 960H CCD IR Bullet camera kit, 700 TVL 0LUX, 3.6MM lens, 75 feet IR distance, IP66, Kit includes camera, 60ft cable and power supply.		\$60.00
AV719EIRA	1/3" Sony 960H CCD IR Bullet camera kit, Audio built-in mic , 700 TVL 0LUX, 3.6MM lens, 75 feet IR distance, IP66, Kit includes camera, 60ft cable and power supply.		\$70.00
AV762PDIR	1/3" Sony IMX238 1.3MP Sensor, Vandal proof IR Bullet camera, 1000TVL, 0lux with IR ON and 100 feet IR distance, 2.8-12mm varifocal lens. True day&night with ICR, OSD, Privacy zones, BLC, HLC, Noise reduction, 3-axis internal bracket, IP66, Dual voltage. Lightning proof		\$120.00
G25IR-W12SAN	High speed Day & Night IR PTZ camera, OSD, Pattern, Tour, Scan, Preset, Samsung 12x optical zoom module, f=3.6- 44.3mm, F1.6 (wide) / F2.0 (Tele), 560TVL, 0.001lux, 12 masking zones. 200 feet IR distance. AC24V. IP66.		\$660.00
G40-WB27N	Outdoor DAY & NIGHT PTZ, 550TVL, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-100°/sec. pan speed, 128 presets, 27x optical zoom, Samsung zoom camera module, 24V		\$660.00
G65-WB37N	Outdoor DAY & NIGHT PTZ, 550TVL, ICR, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 37x optical zoom, Samsung zoom camera module, 24V		\$820.00

G75M-WB36N	Outdoor DAY & NIGHT PTZ, OSD function, pattern function, tour, privacy masking, 0,01Lux, auto pan 0.5°-300°/sec. pan speed, 128 presets, 36x optical zoom , Sony original FCB camera FCB-EX1010 (Wide Dynamic Range), Aluminium Alloy construction, Auto tracking .		\$1,160.00
G35M-WB18N	Heavy duty Vehicle PTZ , DC12V, Rating impact load 3.4g accelerate, Sony module FCB-EX480C, 470TVL, 1/4" EXview HAD CCD, ICR, 18X optical & 12 digital, 0.01lux / F1.4 1/4S ICR on		\$1,340.00
Monitors			
AVG19WBV-2D	18.5" LED LCD Monitor, 1360 x 1024 Resolution (SXGA) panels, 2D Comb Filter, De-Interlace, Noise Reduction, VGA & BNC Inputs (VGA cable included),CE, FCC, CB, RoHS, 50,000 Hour Rated Lifespan, 1 Looping BNC outputs, Multi-Language OSD and Built-In Speakers		\$250.00
AVG19WBV-3D	18.5" LED Monitor, 1360 x 1024 Resolution (SXGA) panels, 3D Comb Filter , De-Interlace, Noise Reduction, HDMI ,VGA & BNC Inputs (VGA cable included),CE, FCC, CB, RoHS, 50,000 Hour Rated Lifespan, 1 Looping BNC Outputs, Multi-Language OSD and Built-In Speakers.		\$280.00
AVG22WBV-2D	21.5" LED Monitors, 1920 x 1080 Resolution (SXGA) panels, VGA & BNC Inputs (VGA cable included),50,000 Hour Rated Lifespan,1 Looping BNC outputs.Multi-Language OSD and Built-In Speakers		\$300.00
AVK10S22W	21.5" LED Monitor, 1920 x 1080 Resolution panels, 3D Comb Filter , De-Interlace, Noise Reduction, HDMI ,VGA & BNC Inputs (VGA cable included),CE, FCC, CB, RoHS, 50,000 Hour Rated Lifespan, 1 Looping BNC Outputs, Multi-Language OSD and Built-In Speakers		\$320.00
AT41X	7" LCD HD-TVI 2.0 and CVBS Test Monitor. VGA and HDMI Inputs. 3-Battery(2600mA) with 6A protective board. ABS+PC enclosure.		\$440.00
AVL104MDE	10.4" TFT LCD Video Monitor, Hi-Resolution, w/1024X768, 300 nit, 500: 1, 2A/V I/O, 1 CH S-Video IN, PC-VGA. SVGA, BNC, Metal Housing, 75/100 VESA, Black Metal Case.		\$460.00
AVL240SDI	24" TFT LCD Video SDI Monitor , Hi- Resolution, w/1920X1080, 250 nit, , 2 CH A(R.L)/V I/O, 1CH S-Video I/O, PC- VGA. SVGA. XGA. SXGA,SDI IN/OUT HDMI Input BNC, Metal Housing, 75/100 VESA, Black Case, 3D Comb filter,De-interlace function.		\$900.00
HDMI/SDI Converters, Extenders, & Extractors			
SDH-RO1	SDI TO HDMI Converter, support 3G-SDI/HD-SDI/SDI.		\$134.00
SDH-T01	HDMI to SDI Converter, support 3G-SDI/HD-SDI/SDI.		\$144.00

SDE-12RN	3G-SDI/HD-SDI/SDI 1 to 2 Repeater and Distribution Extender with re-clocking function.		\$126.00
SDE-14R	3G-SDI/HD-SDI/SDI 1 to 4 Repeater and Distribution Extender with re-clocking function and Audio.		\$152.00
HDMI-A011	HDMI to HDMI + Audio (SPDIF + L/R) Extractor.		\$48.00
HDE-124K	HDMI 1x2 Splitter. Support 4K. HDCP Compliant.		\$52.00
HDMI-EC200	HDMI Extender over Cat5e or 6, up to 200 feet by Cat 6. A pair. Support 3D		\$90.00
HDMI-EC200W	HDMI Wall plate Extender over Cat5e or 6, up to 200 feet by Cat 6. A pair. Support 3D and IR.		\$120.00
HDMI-EC300	HDMI Extender over Cat5e or 6, up to 300 feet by Cat5e or 400 feet by Cat 6. A pair.		\$152.00
HDMI-M424K	HiFi HDMI v1.4 True Matrix Splitter/Switch 4x2 (4 in 2 out) Support 3D 4K MHL ARC, One HDMI out support SPDIF and 3.5mm audio out.		\$100.00
Video Baluns			
AVB300P	Passive Ultra Mini Video Balun with extra interference rejection BNC male to 2 push pin terminal For HD-CVI/TVI/AHD camera.		\$9.00
AVB301P	Passive Ultra Mini Video Balun with 8" pigtail BNC Male cable, 2 push pin terminal , For HD-CVI/TVI/AHD camera.		\$13.00
AVB302P	Passive Video Balun with 8" Pigtail BNC Male Cable and Power - 2pcs Pack, RJ45 Type, transmission up to 250m/750ft; supports power supply on 12V DC or 24V AC. For HD-CVI/TVI/AHD camera.		\$16.00
Accessories			
KB3S	3-axis, multi-protocol & programmable keyboard for Speed Dome Camera, RS485 and RS422 Interface, Backlight Display, up to 1200m, Power: DC12V , Ergo-Design & Alu-Finishing. for G65/ G70/ G50/G25 series dome.		\$180.00
AIR90	IR illuminator 90 feet distance, 45°emission angle. DC12V / 300mA.		\$60.00
AIR150	IR illuminator 150 feet distance, 20°emission angle. DC12V / 400mA.		\$60.00

AIR250	IR illuminator 250 feet distance, 15° emission angle. DC12V / 500mA.		\$60.00
AM58J	Junction box fits AV52RTW-2812Z		\$16.00
AM552J	Camera Junction box white		\$16.00
AM259C	Angled ceiling mount, Fits AV502IP-36 and AV504WDIP-28, plastic.		\$9.00
AM260J	Condit base for bullet camera, Fits AV134WDIP-60, AV164WDIP-2812SZ, AV16HTWA-2812, AV16HTWA-2812W.		\$24.00
AM280J-XS	Junction Box, white Aluminum Alloy, Φ100 x 43.2 x 129mm, 320g. Fits AV50HTW-28, AV10HTW-36, AV102IP-40, AV104WDIP-40.		\$20.00
AM280J-S	Junction Box, white, Aluminum alloy, 137×53.4×164.8mm, 527g. Fits AV50HTWX-36.		\$22.00
AM280J-M	Deep Base Junction box, Metal, Fits AV534WDIP-40		\$32.00
AM280J-DM18	Junction box, Metal, Fits AV502IP-36 and AV504WDIP-28		\$17.00
AM280J-DM21	Junction box, Metal, Fits AV574WDIP-2812SZ		\$17.00
AM272W-110	Wall mount, Metal, Fits AV502IP-36 and AV504WDIP-28		\$26.00
AM273W-130TRL	Wall mount, Metal, Fits AV534WDIP-40		\$34.00
AM273W-135	Wall mount, Metal, Fits AV574WDIP-2812SZ		\$30.00
AM602W	PTZ Wall mount, Metal, Fits AP530HT, AP730HTIR, AP520IP-POE, AP730IPIR-POE.		\$34.00
AM661C	PTZ Pendant mount, Metal, Fits AP530HT, AP730HTIR, AP520IP-POE, AP730IPIR-POE.		\$34.00
AM280J-PT3	Mini PTZ junction box, Metal, Fits AP32IP-POE		\$28.00

AM294W	Mini PTZ wall mount, Metal, Fits AP32IP-POE		\$28.00
JC666 /JC666W	Junction box for AV666 Series IR ball camera. JC666W is a white version.		\$13.00
JC665/JC665W	Junction box for AV665 and AV764 series camera.		\$13.00
JC762	Junction box for AV762 Series camera		\$13.00
EX762	Extension mount for AV762 Series camera		\$13.00
BR666/BR666W	Wall mount bracket for AV666 Series IR Ball camera. BR666W is a white version.		\$26.00
JC830	Junction box for AV830 Series Vandal proof dome camera		\$20.00
BR830	Wall mount bracket for AV830 Series vandal proof dome camera.		\$42.00
BW1	PTZ Pendant Mount		\$60.00
BW7	PTZ Pole Mount		\$60.00
BW9	PTZ Corder Mount		\$70.00
PD05A04D	Power Box for 4 channel cameraS. AC110-230V Input, DC12V output, 5A.		\$50.00
PD10A09D	Power Box for 9 channel camera. AC110-230V Input, DC12V output, 10A.		\$80.00
PD20A18D	Power Box for 18 channel camera. AC110-230V Input, DC12V output, 20A.		\$120.00
PA10A09A	9 channel power box, 10A AC24V.		\$100.00

PA10A18A	18 channel power box, 10A AC24V		\$120.00
CAT5e	Cat5e Network Cable; 1000 Feet		\$100.00
CAT6	Cat6 Network Cable; 1000 Feet		\$150.00
Siamese-500	CCTV Siamese RG59 bulk cable, 500feet. White or Black.		\$80.00
Siamese-1000	CCTV Siamese RG59 bulk cable, 500feet. White or Black.		\$160.00

SEQUTEC INC D.B.A. **AVUE** 1180 Miraloma Way Suite C TEL: 408 481 9355 FAX: 408 481 9366

WARRANTY AND RETURN POLICY

Network Camera, Analog/HD Camera, PTZ Camera	2 Years
Digital Video Recorder, Network Video Recorder	3 Years
Video Balun, Controller	3 Years
Monitor, Consumer Kit, Cloud Camera, Power Box	1 Years
Other products and Accessories	1 Years

AVUE will repair or replace, without charge, any merchandise proved defective in material or workmanship for a period of certain years (as described above) after the date of shipment. This warranty will not extend to any products which have been subjected to misuse, neglect, accident, or improper installation, used in violation of instructions, or to units which have been repaired or altered outside of AVUE's facility. This limited warranty does not apply to broken cases, batteries, or other physically damaged parts. Goods for repair or replacement should be clearly identified with the assigned RMA number and freight should be prepaid.

AVUE assumes no risk and shall be subject to no liability for damages or loss resulting from the specific use or application made of the products. AVUE's liability for any claim, whether based on breach of contract, negligence, infringement of any rights of any party or product liability, relating to the products shall not exceed the price paid by the dealer to AVUE for such products. In no event will AVUE be liable for any special, incidental, or consequential damages (including loss of use, loss of profit, and claims of third parties) however caused, whether by the negligence of AVUE or otherwise.

Return Policy:

1. AVUE only accepts return within 30 days of delivery. Goods returned or credit should be clearly identified with the assigned RMA number and freight should be prepaid.
2. All merchandise with unopened condition returned for credit may be subject to a 15 percent restocking and refurbishing charge.
3. Any item that is not in its original condition, is damaged, or is missing parts for reasons not due to our error may be subject to 50 percent restocking and refurbishing charge.